



Aquaculture

Aquaculture 277 (2008) 321-323

www.elsevier.com/locate/aqua-online

Contents of Aquaculture, Volume 277

VOL. 277 NOS. 1-2	12 May 2000	8
Diseases		
Characterization of Some Bacteria Isolated from Oreochromis niloticus ar	nd their Potential Use as Probiotics	
	ia, Egypt)	1
Genetics		
M. Vandeputte (Jouy-en-Josas, Palavas les Flots, France), M. Kocour (Vor Czech Republic), A. Launay (Jouy-en-Josas, France), D. Gela (Vodňa	non carp (Cyprinus carpio L.): Heritability estimates and response to selection dñany, Czech Republic), S. Mauger (Jouy-en-Josas, France), M. Rodina (Vodñany, any, Czech Republic), M. Dupont-Nivet (Jouy-en-Josas, France), M. Hulak and	7
, , , , , , , , , , , , , , , , , , , ,		
Husbandry and Management		
Effects of delayed first feeding on growth and survival of rock bream Op	olegnathus fasciatus larvae	
	a) and S. Dou (Quingdao, PR China)	14
		24
	f Farfantepenaeus paulensis pens on water quality, sediment and benthic biota n (Rio Grande, Brazil), L. Aubriot (Montevideo, Uruguay), C. Fagetti, J. Vitancurt	
		3(
O. López-Albors (Murcia, Spain), I. Abdel (Puerto de Mazarrón, Spain), M	bass Dicentrarchus labrax, L. Flesh quality implications at commercial size a.J. Periago, Ma.D. Ayala (Murcia, Spain), A.G. Alcázar (Puerto de Mazarrón, Spain),	
		39
Photoperiod and feeding interval requirements of juvenile mulloway, Arg D.A. Ballagh (Taylors Beach, NSW, Townsville, Queensland, Australia	a), P.M. Pankhurst (Townsville, Queensland, Australia) and D.S. Fielder (Taylors	
Beach, NSW, Australia)		52
Physiology and Endocrinology		
	cygenation status in oysters Crassostrea gigas cultured in a Mediterranean lagoon	
(Thau, France)	7,000	
D. Tran (Sète, France), JC. Massabuau (Arcachon, France) and C.	Vercelli (Sète, France)	58
Dietary sodium alginate administration to enhance the non-specific in fuscoguttatus	nmune responses, and disease resistance of the juvenile grouper Epinephelus	
	g County, Taiwan, ROC), CH. Liu and W. Cheng (Pingtung, Taiwan, ROC)	6
Variability in reproductive performance of sex-reversed tilapia Oreochron		
D. Desprez, P. Bosc (Réunion Island, France), J.F. Baroiller (Montpel	flier cedex 1, France) and C. Mélard (Tihange, Belgium)	73
Growth, feed efficiency, body muscle composition, and histology of flour		
	g, X. Zang, B. Liu, K.K.I.U. Arunakumara, D. Xu and X. Zhang (Qingdao,	
People's Republic of China)		7
The effect of chemical cues on settlement of pearl oyster Pinctada fucate		
X. Yu, W. He (Guangzhou, China), JD. Gu (Guangzhou, China; Po	kfulam Road, Hong Kong), M. He and Y. Yan (Guangzhou, China)	8.
Nutrition		
Dietary phosphorus requirement of juvenile black seabream, Sparus mac	rocephalus	
Q. Shao, J. Ma, Z. Xu, W. Hu (Hangzhou, PR China), J. Xu (Zho		9
Critical levels of essential fatty acids for normal pigmentation in Atlantic	c halibut (Hippoglossus hippoglossus L.) larvae	
K. Hamre (Bergen, Norway) and T. Harboe (Storebø, Norway)		0
Crypthecodinium cohnii and Schizochytrium sp. as potential substitutes t	o fisheries-derived oils from seabream (Sparus aurata) microdiets	
E. Ganuza, T. Benitez-Santana, E. Atalah, O. Vega-Orellana, R. Gan	ga and M.S. Izquierdo (Canary Island, Spain)	0

Short Communication	
Experimental studies on the effect of food in early larvae of the cleaner shrimp Lysmata amboinensis (De Mann, 1888) (Decapoda: Caridea: Hippolytidae) L. Cunha (Ponta Delgada, Portugal), M. Mascaro, X. Chiapa (México), A. Costa (Ponta Delgada, Portugal) and N. Simoes (México)	117
VOL. 277 NOS. 3-4	08
Review Article	
The basics of bio-flocs technology: The added value for aquaculture P. De Schryver, R. Crab, T. Defoirdt, N. Boon and W. Verstraete (Ghent, Belgium)	125
Diseases Efficacy, tissue distribution, and residue depletion of oxytetracycline in WS-RLP infected California red abalone <i>Haliotis rufescens</i> E.S. Rosenblum, T.T. Robbins (Bodega Bay, CA, USA), B.B. Scott, S. Nelson (Seattle, WA, USA), C. Juhasz, A. Craigmill, R.S. Tjeerdema, J.D. Moore	
(Bodega Bay, CA, USA) and C.S. Friedman (Seattle, WA, USA) Effect of low water temperature on viral replication of white spot syndrome virus in <i>Procambarus clarkii</i> H. Du, W. Dai, X. Han, W. Li (Hangzhou, PR China), Y. Xu (Suzhou, PR China) and Z. Xu (Hangzhou, PR China)	
In vivo fish models for visualizing Aeromonas hydrophila invasion pathway using GFP as a biomarker WH. Chu and CP. Lu (Nanjing, PR China)	
QTL for IHNV resistance and growth identified in a rainbow (Oncorhynchus mykiss) Yellowstone cutthroat (Oncorhynchus clarki bouvieri) trout cross R.M. Barroso, P.A. Wheeler (Pullman, WA, USA), S.E. LaPatra (Buhl, Idaho, USA), R.E. Drew (Moscow, ID, USA) and G.H. Thorgaard (Pullman, WA, USA)	
An online operational alert system for the early detection of shrimp epidemics at the regional level based on real-time production B. Bayot (Guayaquil, Ecuador, Leuven, Belgium), S. Sonnenholzner (Guayaquil, Ecuador), X. Ochoa, J. Guerrerro, T. Vera (Ecuador), J. Calderón (Guayaquil, Ecuador), I. de Blas (Zaragoza, Spain), M. del Pilar Cornejo-Grunauer (Ecuador), S. Stern (Guayaquil, Ecuador) and F. Ollevier (Leuven, Belgium)	
(Leaven, Bergium)	104
Husbandry and Management	
Influence of different food sources on the initial development of sexual recruits of reefbuilding corals in aquaculture D. Petersen (Rotterdam, The Netherlands), A. Wietheger (Rostock, Germany) and M. Laterveer (Rotterdam, The Netherlands)	174
PD. Sindilariu (Starnberg, Germany), C. Wolter (Berlin, Germany) and R. Reiter (Starnberg, Germany). Nutrients removed by Kappaphycus alvarezii (Rhodophyta, Solieriaceae) in integrated cultivation with fishes in re-circulating water	
L. Hayashi, N.S. Yokoya, S. Ostini, R.T.L. Pereira, E.S. Braga and E.C. Oliveira (São Paulo, Brazil) Ammonia and pH effects on some metabolic parameters and gill histology of silver catfish, Rhamdia quelen (Heptapteridae)	
D.d.S. Miron, B. Moraes, A.G. Becker, M. Crestani, R. Spanevello, V.L. Loro and B. Baldisserotto (Brazil). Does different tank bottom colour affect the growth, survival and foraging behaviour of Atlantic cod (<i>Gadus morhua</i>) larvae? J. Monk (St John's, Newfoundland, Canada), V. Puvanendran (Tromsø, Norway) and J.A. Brown (St John's, Newfoundland, Canada)	192
Effect of probiotics, Enteroccus faecium, on tilapia (Oreochromis niloticus) growth performance and immune response YB. Wang (Hangzhou, PR China), ZQ. Tian (Beijing, PR China), JT. Yao and Wf. Li (Hangzhou, PR China)	
Inhibition of embryo development of the Mytilus galloprovincialis marine mussel by organic pollutants; assessment of risk for its extensive culture in the Galician Rias	
R. Beiras and J. Bellas (Galicia, Spain) Effects of dietary starch and energy levels on maximum feed intake, growth and metabolism of Nile tilapia, <i>Oreochromis niloticus</i>	
A. Tran-Duy, B. Smit (Wageningen, The Netherlands), A.A. van Dam (Delft, The Netherlands) and J.W. Schrama (Wageningen, The Netherlands)	213
Nutrition Variability in the composition of lupin (Lupinus angustifolius) meals influences their digestible nutrient and energy value when fed to rainbow trout	
(Oncorhynchus mykiss) B. Glencross (North Beach, Crawley, WA, Australia), W. Hawkins (South Perth, WA, Australia), D. Evans, N. Rutherford (South Perth, Crawley, WA, Australia), P. McCafferty, K. Dods (East Perth, Crawley, WA, Australia), M. Karopoulos, C. Veitch, S. Sipsas and B. Buirchell (South Perth, Crawley, WA, Australia), M. Karopoulos, C. Veitch, S. Sipsas and B. Buirchell (South Perth, Crawley, WA, Australia), M. Karopoulos, C. Veitch, S. Sipsas and B. Buirchell (South Perth, Crawley, WA, Australia), M. Karopoulos, C. Veitch, S. Sipsas and B. Buirchell (South Perth, Crawley, WA, Australia), M. Karopoulos, C. Veitch, S. Sipsas and B. Buirchell (South Perth, Crawley, WA, Australia), M. Karopoulos, C. Veitch, S. Sipsas and B. Buirchell (South Perth, Crawley, WA, Australia), M. Karopoulos, C. Veitch, S. Sipsas and B. Buirchell (South Perth, Crawley, WA, Australia), M. Karopoulos, C. Veitch, S. Sipsas and B. Buirchell (South Perth, Crawley, WA, Australia), M. Karopoulos, C. Veitch, S. Sipsas and B. Buirchell (South Perth, Crawley, WA, Australia), M. Karopoulos, C. Veitch, S. Sipsas and B. Buirchell (South Perth, Crawley, WA, Australia), M. Karopoulos, C. Veitch, S. Sipsas and B. Suirchell (South Perth, Crawley, WA, Australia), M. Karopoulos, C. Veitch, S. Sipsas and B. Suirchell (South Perth, Crawley, WA, Australia), M. Karopoulos, C. Veitch, S. Sipsas and B. Suirchell (South Perth, Crawley, WA, Australia), M. Sipsas and S. Sipsa	***
Crawley, WA, Australia) Impact of starvation and handling stress on rigor development and quality of Atlantic salmon (Salmon salar L) T. Mørkøre, P.I. Mazo T., V. Tahirovic and O. Einen (Ås, Norway)	
Artemia enriched with high n-3 HUFA may give a large improvement in performance of Atlantic halibut (Hippoglossus hippoglossus L.) larvae K. Hamre (Bergen, Norway) and T. Harboe (Storebø, Norway).	
Partial replacement of fish meal by porcine meat meal in practical diets for Pacific white shrimp (<i>Litopenaeus vannamei</i>) C. Hernández (Sinaloa, México), M.A. Olvera-Novoa (Yucatán, México), K. Aguilar-Vejar, B. González-Rodríguez and I. Abdo de la Parra	
(Sinaloa, México) Assessing the implications of variability in the digestible protein and energy value of lupin kernel meals when fed to rainbow trout, Oncorhynchus mykiss B. Glenerose (North Beach, Crawley, WA, Australia) W. Handring (South Beach, Crawley, WA, Australia) D. Evans, N. Butherford (North Beach)	244
B. Glencross (North Beach, Crawley, WA, Australia), W. Hawkins (South Perth, Crawley, WA, Australia), D. Evans, N. Rutherford (North Beach, Crawley, WA, Australia), P. McCafferty, K. Dods (East Perth, Crawley, WA, Australia) and S. Sipsas (South Perth, Crawley, WA, Australia). Diet of demersal fish species in relation to aquaculture development in Scottish sea lochs	251
E. Mente (Ionia Magnisias, Greece; Aberdeen, UK), G.J. Pierce, N.J. Spencer, J.C. Martin (Aberdeen, UK), I.T. Karapanagiotidis (Ionia Magnisias, Greece), M.B. Santos (Vigo, Spain), J. Wang (Aberdeen, UK) and C. Neofitou (Ionia Magnisias, Greece)	263

Influence of dietary HUFA levels on reproductive performance, tissue fatty acid profile and desaturase and elongase mRNAs expression in female zebrafish Danio rerio	
A. Jaya-Ram, MK. Kuah, PS. Lim (Penang, Malaysia), S. Kolkovski (Western Australia, Australia) and A.C. Shu-Chien (Penang, Malaysia)	275
Physiology and Endocrinology	
Salinity tolerance of cultured Eurasian perch, Perca fluviatilis L.: Effects on growth and on survival as a function of temperature	
J.L. Overton (Charlottenlund, Denmark), M. Bayley (Århus, Denmark), H. Paulsen (Hirtshals, Denmark) and T. Wang (Århus, Denmark). Breeding and juvenile culture of the lined seahorse, <i>Hippocampus erectus</i> Perry, 1810	282
Q. Lin (Guangzhou, PR China; Vero Beach, Florida, USA), J. Lin (Vero Beach, Florida, USA) and D. Zhang (Vero Beach, Florida, USA; Guangzhou,	
PR China)	28
Physiological changes in rainbow trout held under crowded conditions and fed diets with different levels of vitamins E and C and highly unsaturated fatty acids (HUFA)	
C.E. Trenzado, A.E. Morales and M. de la Higuera (Granada, Spain)	29
Effects of dietary canola oil 'evel on growth, fatty acid composition and osmoregulatory ability of juvenile fall chinook salmon (Oncorhynchus tshawytscha)	
A.A.M. Grant, D. Baker (Vancouver, BC, Canada), D.A. Higgs (West Vancouver, BC, Canada), C.J. Brauner, J.G. Richards (Vancouver, BC, Canada), S.K. Balfry (West Vancouver, BC, Canada) and P.M. Schulte (Vancouver, BC, Canada)	30
Gametogenetic cycle and reproductive effort assessed by two methods in 3 age classes of Pacific oysters, Crassostrea gigas, reared in Normandy	20.
J. Royer (Caen cedex, France), C. Seguineau (Plouzané, France), KI. Park (Chonbuk, South Korea), S. Pouvreau (Landunvez, France), KS. Choi (Jeju, South Korea) and K. Costil (Caen cedex, France).	31
(-)	2.
Contents of Aquaculture, Volume 277	32